



## Tables of Homotopy Groups of Spheres

The Adams spectral sequence for  $p = 2$  below dimension 62. The Adams–Novikov spectral sequence for  $p = 2$  below dimension 40. Comparison of Toda’s, Tangora’s and our notation at  $p = 2$ . 3-Primary stable homotopy excluding in  $J$ . 5-Primary stable homotopy excluding in  $J$ .

In this appendix we collect most of the known values of the stable homotopy groups of spheres for the primes 2, 3, and 5. Online graphic displays of these are given by Hatcher [?]. The results of Toda [?] on unstable homotopy groups are shown in Table A3.6. A table of unstable 3-primary homotopy groups up to dimension 80 can be found in Toda [?].

Extensive online charts of various Ext groups over the Steenrod algebra have been provided by Nassau [?] and Bruner [?].

In FIGS. A3.1a–c we display the classical Adams  $E_2$ -term for  $p = 2$ ,

$$\text{Ext}_A^{s,t}(\mathbf{Z}/(2), \mathbf{Z}/(2))$$

for  $t - s \leq 61$ , along the differentials and group extensions. The main reference for the calculation of Ext is Tangora [?], which includes a table showing the answer for  $t - s \leq 70$ . We use his notation for the many generators shown in Ext. His table is preceded by a dictionary (not included here) relating this notation to that of the May spectral sequence, which is his main computational tool.

In our table each basis element is indicated by a small circle. Multiplication by the elements  $h_0$ ,  $h_1$ , and  $h_2$  is indicated, respectively, by vertical lines and lines with slopes 1 and  $\frac{1}{3}$ . Most multiplicative generators are labeled, but there are a few unlabeled generators due to limitations of space. In each case the unlabeled generator is in the image of the periodicity operator  $P$  (denoted by  $\Pi$  in Section 3.4), which sends an element  $x \in \text{Ext}^{s,t}$  to the Massey product (Section A1.4)

$$\langle x, h_0^4, h_3 \rangle \in \text{Ext}^{s+4, t+12}.$$

Differentials are indicated by lines with negative slope. For  $t - s \leq 20$  these can be derived by combining the calculation of Ext in this range due to May [?] with the calculation of the corresponding homotopy groups by Toda [?]. For  $21 \leq t - s \leq 45$  the results can be found in various papers by Barratt, Mahowald, Milgram, and Tangora and most recently in Bruner [?], where precise references to the earlier work can be found.

Differentials in the range  $46 \leq t - s \leq 61$  have been computed (tentatively in some cases) by Mahowald (unpublished) and are included here with his kind permission.

Exotic group extensions and some exotic multiplications by  $h_1$  and  $h_2$  are indicated by broken lines with nonnegative slope.

FIGURE A3.1a. The Adams spectral sequence for  $p = 2$ ,  $t - s \leq 29$ .

In FIG. A3.2 we display the Adams–Novikov  $E_2$ -term for  $p = 2$  in the range  $t-s \leq 39$ . The method used is that of Section 4.4, where the calculation is described in detail through dimension 25. The small circles in the chart indicate summands of order 2. Larger cyclic summands are indicated by squares. All such summands in this range have order 4 except the one in  $\text{Ext}^{5,28}$ , which has order 8. The solid and broken lines in this figure means the same thing as in Figs. A3.1a–c as described above. This figure does *not* include the  $v_1$ -periodic elements described in 5.3.7, i.e., the elements in the image of the  $J$ -homomorphism and the elements constructed in Adams [?].

In TABLE A3.3 we list the values of the 2-component of the stable stems  $\pi_k^S$  for  $k \leq 45$ , showing the name of each element given by Toda [?] (where applicable), by Tangora [?] in the Adams spectral sequence, and by us in the Adams–Novikov spectral sequence. Again we omit the  $v_1$ -periodic elements described in 5.3.7. These omitted summands are as follows.

- $\mathbf{Z}$  for  $k = 0$ ,
- $\mathbf{Z}/(2)$  for  $k = 1$  or  $2$ ,
- $\mathbf{Z}/(4)$  for  $k = 3$ ,
- $\mathbf{Z}/(2^{m+4})$  for  $k = 8t - 1$ , where  $t$  is an odd multiple of  $2^m$ ,
- $\mathbf{Z}/(2)$  for  $k \equiv 0$  or  $2 \pmod{8}$  and  $k > 7$ ,
- $(\mathbf{Z}/(2))^2$  for  $k \equiv 1 \pmod{8}$  and  $k > 7$ , and,
- $\mathbf{Z}/(8)$  for  $k \equiv 3 \pmod{8}$  and  $k > 7$ .

In TABLES A3.4 and A3.5 we do the same for the primes 3 and 5, recapitulating the results obtained in Sections 7.4 and 7.5, respectively. Again we omit the  $v_1$ -periodic elements described in 5.3.7, which in these cases are (in positive dimensions) precisely in  $J$ , i.e.,

- $\mathbf{Z}$  for  $k = 0$  and
- $\mathbf{Z}/(p^{m+1})$  for  $k = (2p - 2)t - 1$ ,

where  $t = sp^m$  and  $s$  is prime to  $p$ .

In FIG. A3.6 we reproduce the table of unstable homotopy groups of spheres through the 19-stem, given in Toda [?].

TABLE A3.3.  $\pi_*^S$  at  $p = 2^a$

Stem	Toda's name	Tangora's name	Adams–Novikov name
6	$\nu^2$	$h_2^2$	$\beta_{2/2}$
8	$\varepsilon = \langle \nu^2, 2, \eta \rangle$	$c_0$	$\beta_2$
9	$\nu^3$	$h_1^2 h_3$	$\alpha_1 \beta_2$
14	$\sigma^2$	$h_3^2$	$\beta_{4/4}$
	$\kappa$	$d_0$	$\beta_3$
15	$\eta \kappa$	$h_1 d_0$	$\alpha_1 \beta_3 = \alpha_1 \beta_{4/4}$
16	$\eta^* \langle \sigma, 2\sigma, \eta \rangle$	$h_1 h_4$	$\beta_{4/3}$

TABLE A3.3 (continued)

Stem	Group	Tangora's name	Adams–Novikov name
17	$\eta\eta^*$	$h_1^2h_4$	$\alpha_1\beta_{4/3}$
	$\nu\kappa$	$h_2d_0$	$\alpha_{2/2}\beta_3 = \alpha_{2/2}\beta_{4/4}$
18	$\nu^*\langle\sigma, 2\sigma, \nu\rangle$	$h_2h_4, h_0h_2h_4$ $h_0^2h_2h_4 = h_1^3h_4$	$\beta_{4/2,2}$ $4\beta_{4/2,2} = \alpha_1^2\beta_{4/3}$
19	$\bar{\sigma} = \langle\sigma^2 + \kappa, \eta, \nu\rangle$	$c_1$	$\eta_2$
20	$\bar{\kappa}$	$g$	$\beta_4$
	$2\bar{\kappa}$	$h_0g$	$2\beta_4 = x_{20} = \langle 2, \alpha_1^3, \beta_{4/3} \rangle$
	$4\bar{\kappa}$	$h_0^2g$	$2x_{20} = \alpha_{2/2}^2\beta_3$
21	$\sigma^3$	$h_2^2h_4$	$\alpha_{2/2}\beta_{4/2,2}$
	$\eta\bar{\kappa}$	$h_1g$	$\alpha_1\beta_4$
22	$\nu\bar{\sigma}$	$h_2c_1$	$\alpha_{2/2}\eta_2$
	$\eta^2\bar{\kappa}$	$Pd_0$	$\alpha_1^2\beta_4$
23	$\mathbf{Z}/2 \otimes \mathbf{Z}/8$	$h_4c_0$	$\eta_{3/2}$
		$h_2g$	$x_{23} = \langle \alpha_{2/2}, \alpha_1^3, \beta_{4/3} \rangle$
		$h_0h_2g$	$2x_{23}$
		$Ph_1d_0$	$4x_{23}$
24	$\mathbf{Z}/2$	$h_1h_4c_0$	$\alpha_1\eta_{3/2}$
26	$\mathbf{Z}/2$	$h_2^2g$	$\alpha_{2/2}x_{23}$
28	$\mathbf{Z}/2$	$Pg = d_0^2$	$x_{28} = \langle \beta_2, \alpha_1^3, \beta_{4/3} \rangle$
30	$\mathbf{Z}/2$	$h_4^2$	$\beta_{8/8}$
31	$(\mathbf{Z}/2)^2$	$h_1^2h_4$	$\alpha_1\beta_{8/8}$
		$n$	$\gamma_3$
32	$(\mathbf{Z}/2)^3$	$h_1h_5$	$\beta_{8/7}$
		$d_1$	$x_{32} = \langle \alpha_1, \beta_{4/4} + \beta_3, \alpha_1, \beta_{4/4} + \beta_3 \rangle$
		$q$	$\beta_6$
33	$(\mathbf{Z}/2)^3$	$h_1^2h_5$	$\alpha_1\beta_{8/7}$
		$p$	$\eta_{5/6}$
		$h_1q$	$\alpha_1\beta_3$
34	$\mathbf{Z}/4 \otimes (\mathbf{Z}/2)^2$	$h_0h_2h_5$	$\beta_{8/6,2}$
		$h_0^2h_2h_5 = h_1^3h_5$	$\alpha_1^2\beta_{8/7}$
		$e_0^2$	$\alpha_{2/2}\gamma_3$
		$C_0^2$	$x_{34} = \langle \beta_3, \alpha_1^3, \beta_{4/3} \rangle = P\beta_3$
35	$(\mathbf{Z}/2)^2$	$h_2d_1$	$\alpha_{2/2}x_{32}$
		$h_1e_0^2$	$\alpha_1x_{34}$
36	$\mathbf{Z}/2$	$t$	$x_{36} = ?$
37	$(\mathbf{Z}/2)^2$	$h_2^2h_5$	$\alpha_{2/2}\beta_{8/6,2}$
		$x$	$\gamma_{4/2,2}$
38	$(\mathbf{Z}/4) \oplus \mathbf{Z}/2$	$h_0^2h_3h_5, h_0^3h_3h_5$	$\beta_{8/4,2}$
		$h_1x$	$\alpha_1\gamma_{4/2,2}$

TABLE A3.3 (continued)

Stem	Group	Tangora's name	Adams–Novikov name
39	$(\mathbf{Z}/2)^5$	$h_1h_3h_5$	$\alpha_{4/4}\beta_{8/7}$
		$h_5c_0$	$\gamma_{4/2}$
		$h_1c_1$	$x_{39} = \langle \alpha_1, \beta_{2/2}, \gamma_3 \rangle$
		$c_1g$	$x'_{39} = \langle \eta_2, \alpha_1^3, \beta_{4/3} \rangle = P\eta_2$
		$u$	$x''_{39} = \langle \beta_{8/6}, a_1, \alpha_{2/2} \rangle$
40	$\mathbf{Z}/4 + (\mathbf{Z}/2)^4$	$h_1^2h_3h_5$	$\alpha_1\alpha_{4/4}\beta_{8/7}$
		$f_1$	$x_{40}?$
		$h_1h_5c_0$	$\beta_2\beta_{8/7} = \gamma_{4/2}\alpha_1$
		$Ph_1h_5$	$\beta_{8/3}$
		$g^2$	$?$
		$h_1n$	$\alpha_1x''_{39}$
41	$(\mathbf{Z}/2)^3$	$h_1f_1$	$\alpha_1x_{40}$
		$Ph_1^2h_5$	$\alpha_1x_{40}$
		$z$	$?$
42	$\mathbf{Z}/8 \oplus \mathbf{Z}/2$	$Ph_2h_5, Ph_0h_2h_5$	$\beta_{\alpha_2, 2}$
		$Ph_0^2h_2h_5 = Ph_1^3h_5$	$4\beta_{8/2, 2} = \alpha_1^2\beta_{8/3}$
44	$\mathbf{Z}/8$	$Pe_0^2$	$?$
		$g_2$	$\beta_8?$
		$h_0g_2$	
45	$(\mathbf{Z}/16) \oplus (\mathbf{Z}/2)^3$	$h_0^2g_2$	
		$h_4^3$	$\gamma_4?$
		$h_0h_4^3$	
		$hg_2$	$\alpha_1\beta_8?$
		$h_5d_0$	
		$h_0h_5d_0$	
		$h_0^2h_5d_0$	
	$w$		

<sup>a</sup> All element have order 2 unless otherwise indicated. (im  $J$  and  $\mu_{8k+1}, \mu_{8k+2}$  omitted.)

TABLE A3.4. 3-Primary Stable Homotopy Excluding  $\text{im } J^a$ 

Stem	Element	Stem	Element
10	$\beta_1$	81	$\gamma_2$
13	$\alpha_1\beta_1$		$x_{81} = \langle \alpha_1, \alpha_1, \beta_5 \rangle$
20	$\beta_1^2$	82	$\beta_{6/3}$
23	$\alpha_1\beta_1^2$	84	$\alpha_1\gamma_2$
26	$\beta_2$		$\beta_1\beta_5 = \alpha_1x_{81}$
29	$\alpha_1\beta_2$	85	$\langle \alpha_1, \alpha_1, \beta_2^3 \rangle = \beta_1\mu$
30	$\beta_1^3 = \langle \beta_2, 3, \alpha_1 \rangle$		$\alpha_1\beta_{6/3}$
36	$\beta_1\beta_2$	86	$\beta_{6/2}$
37	$\langle \alpha_1, \alpha_1, \beta_1^3 \rangle = \langle \beta_1, 3, \beta_2 \rangle$	90	$\beta_6$
38	$\beta_{3/2} = \langle \alpha_1, \beta_1^3, 3, \alpha_1 \rangle$	91	$\beta_1\gamma_2$
39	$\alpha_1\beta_1\beta_2$		$\beta_1x_{81}$
40	$\beta_1^4$	92	$\beta_1\beta_{6/3}$
42	$\beta_3$		$x_{92} = \langle \beta_1, 3, \gamma_2 \rangle$
45	$x_{45} = \langle \alpha_1, \alpha_1, \beta_{3/2} \rangle$ with $3x_{45} = \alpha_1\beta_3$	93	$x_{93} = \langle \alpha_1, \alpha_1, \beta_{6/2} \rangle$ with $3x_{93} = \alpha_1\beta_6$
46	$\beta_1^2\beta_2$	94	$\alpha_1\beta_1\gamma_2$
47	$\langle \alpha_1, \alpha_1, \beta_1^4 \rangle$		$\beta_1^2\beta_5$
49	$\alpha_1\beta_1^2\beta_2$	95	$\alpha_1\beta_1\beta_{6/3}$
50	$\beta_1^5$	99	$\langle \alpha_1, \alpha_1, x_{92} \rangle$
52	$\beta_2^2 = \langle \alpha_1, \alpha_1, x_{45} \rangle$	100	$\beta_2\beta_5$
55	$\alpha_1\beta_2^2$	101	$\beta_1^2\gamma_2$
62	$\beta_1\beta_2^2$		$\beta_1^2x_{81}$
65	$\alpha_1\beta_1\beta_2^2$	102	$\beta_1^2\beta_{6/3}$
68	$x_{68} = \langle \alpha_1, \beta_{3/2}, \beta_2 \rangle$		$\beta_1x_{92}$
72	$\beta_1^2\beta_2^2 = \langle \alpha_1, 3, x_{68} \rangle$	104	$\alpha_1\beta_1^2\gamma_2$
74	$\beta_5$	106	$x_{106} = \beta_7 \pm \beta_{9/9}$
75	$x_{75} = \langle \alpha_1, \alpha_1, x_{68} \rangle = \langle \beta_1, \beta_{3/2}, \beta_2 \rangle$ with $3x_{75} = \alpha_1\beta_1^2\beta_2^2$	107	$\gamma_2\beta_2$
78	$\beta_2^3 = \beta_1x_{68}$		$\beta_2x_{81}$
		108	$\beta_2\beta_{6/3} = \langle \alpha_1, \alpha_1, \beta_1^2x_{81} \rangle$

<sup>a</sup> (See 7.5.3 and subsequent discussion.) All elements have order 3 unless otherwise indicated.

TABLE A3.5. 5-Primary Stable Homotopy Excluding  $im J$ 

Stem	Element	Stem	Element
38	$\beta_1$	255	$\alpha_1\beta_1^3\beta_3$
45	$\alpha_1\beta_1$	258	$\beta_1^2\beta_4$
76	$\beta_1^2$	265	$\alpha_1\beta_1^2\beta_4$
83	$\alpha_1\beta_1^2$	266	$\beta_1^7$
86	$\beta_2$	268	$\beta_2\beta_4$ with $\beta_1\beta_5 = 0$
93	$\alpha_1\beta_2$	275	$\alpha_1\beta_2\beta_4$
114	$\beta_1^3$	278	$\beta_6$
121	$\alpha_1\beta_1^3$	281	$2\beta_1^7$
124	$\beta_1\beta_2$	285	$\alpha_1\beta_6$
131	$\alpha_1\beta_1\beta_2$	286	$\beta_1^4\beta_3$
134	$\beta_3$	293	$\alpha_1\beta_1^4\beta_3$
141	$\alpha_1\beta_3$	296	$\beta_1^3\beta_4$
152	$\beta_1^4$	303	$\alpha_1\beta_1^3\beta_4$
159	$\alpha_1\beta_1^4$	304	$\beta_1^8$
162	$\beta_1^2\beta_2$	306	$\beta_1\beta_2\beta_4$
169	$\alpha_1\beta_1^2\beta_2$	313	$\alpha_1\beta_1\beta_2\beta_4$
172	$\beta_1\beta_3$	316	$\beta_1\beta_6$
179	$\alpha_1\beta_1\beta_3$	319	$2\beta_1^8$
182	$\beta_4$	326	$\beta_7$
189	$\alpha_1\beta_4 = \gamma_1$	331	$2\beta_1\beta_6$
190	$\beta_1^5$	333	$\alpha_1\beta_7$
200	$\beta_1^3\beta_2$	334	$\beta_1^4\beta_4$
205	$2\beta_1^5 = \langle \alpha_1, \alpha_1, \beta_1^5 \rangle$	341	$\alpha_1\beta_1^4\beta_4$
206	$\beta_{5/4} = \langle \alpha_1, \beta_1^5, 5, \alpha_1 \rangle$	342	$\beta_1^9$
207	$\alpha_1\beta_1^3\beta_2$	344	$\beta_1^2\beta_2\beta_4$
210	$\beta_1^2\beta_3$	351	$\alpha_1\beta_1^2\beta_2\beta_4$
213	$\alpha_1\beta_{5/4}$	354	$\beta_1^2\beta_6$
214	$\beta_{5/3}$	357	$2\beta_1^9$
217	$\alpha_1\beta_1^2\beta_3$	364	$\beta_1\beta_7$
220	$\beta_1\beta_4$	369	$2\beta_1^2\beta_6$
221	$\alpha_1\beta_{5/3}$	374	$\beta_8$
222	$\beta_{5/2}$	379	$\beta_1\beta_7$
227	$\alpha_1\beta_1\beta_4$	380	$\beta_1^{10}$
228	$\beta_1^6$	381	$\alpha_1\beta_8$
230	$\beta_5$	382	$\beta_1^3\beta_2\beta_4$
237	$2\beta_{5/2}$ with $5(2\beta_{5/2}) = \alpha_1\beta_5$	389	$\alpha_1\beta_1^3\beta_2\beta_4$
238	$\beta_1^4\beta_2$	392	$\beta_1^3\beta_6$
243	$2\beta_1^6$	402	$\beta_1^2\beta_7$
245	$\alpha_1\beta_1^4\beta_2$	403	$3\beta_1^{10}$
248	$\beta_1^3\beta_3$	404	$x_{404} = \langle \alpha_1\beta_1^4, \beta_1, \beta_{5/4} \rangle$



TABLE A3.5 (continued)

Stem	Element	Stem	Element
407	$2\beta_1^3\beta_6$	491	$2\bar{5}\gamma_2 = \langle \beta_1\alpha_2, \gamma_2 \rangle$
411	$\alpha_1x_{404} = \beta_{5/4}2\beta_1^5$		$= \langle \alpha_1\beta_1, \alpha_1, 5, \gamma_2 \rangle$
412	$\beta_1\beta_8$	493	$2\beta_1^4\beta_7$
	$x_{412} = \beta_1\beta_8 + \beta_{5/4}^2$	494	$\beta_1^{13}$
417	$2\beta_1^2\beta_7$	498	$\beta_1^2\beta_9$
418	$\beta_1^{11}$	503	$2\beta_1^3\beta_8$
419	$\alpha_1\beta_1\beta_8$ with $\alpha_1x_{412} = 0$	508	$\beta_2\beta_9$ with $\beta_1\beta_{10} = 0$
420	$\beta_1^4\beta_2\beta_4 = \langle \alpha_1, 5, x_{412} \rangle$	513	$\beta_1^2\gamma_2$
422	$\beta_9$		$2\beta_1^2\beta_9$
427	$2x_{412}$ with	514	$\beta_1^2\beta_{10/5}$
	$5(2x_{412}) = \alpha_1\beta_1^4\beta_2\beta_4$	517	$3\beta_1^{13}$
430	$\beta_1^4\beta_6$	518	$\beta_{11}$
437	$2\beta_9$	520	$\alpha_1\beta_1^2\gamma_2$
	$\gamma_2$	523	$2\beta_2\beta_9$
438	$\beta_{10/5}$		$\beta_1\gamma_2$
440	$\beta_1^3\beta_7$	524	$\beta_2\beta_{10/5}$
441	$3\beta_1^{11}$	525	$\alpha_1\beta_{11}$
444	$\alpha_1\gamma_2$	526	$\beta_1^4\beta_8$
445	$\alpha_1\beta_{10/5}$	529	$2\bar{5}\beta_1\gamma_2$
	$2\beta_1^4\beta_6$	530	$\alpha_1\beta_2\gamma_2$
446	$\beta_{10/4}$	531	$\beta_72\beta_1^5 = \alpha_1\beta_2\beta_{10/5}$
450	$\beta_1^2\beta_8$ with $\beta_1\beta_{5/4}^2 = 0$	532	$\beta_1^{14}$
453	$\alpha_1\beta_{10/4}$	536	$\beta_1^3\beta_9$
454	$\beta_{10/3}$	541	$2\beta_1^4\beta_8$
455	$2\beta_1^3\beta_7$	546	$\beta_1\beta_2\beta_9$
456	$\beta_1^{12}$	551	$\beta_1^3\gamma_2$
460	$\beta_1\beta_9$		$2\beta_1^3\beta_9$
461	$\alpha_1\beta_{10/3}$	552	$\beta_1^2\bar{5}\gamma_2$
462	$\beta_{10/2}$	555	$3\beta_1^{14}$
465	$2\beta_1^2\beta_8$	556	$\beta_1\beta_{11}$
470	$\beta_{10}$	558	$\alpha_1\beta_1^3\gamma_2$
475	$\beta_1\gamma_2$	561	$\beta_12\beta_2\beta_9$ with $\beta_1\beta_2\gamma_2 = ?\beta_12\beta_2\beta_9$
476	$\beta_1\beta_{10/5} = \langle \alpha_1, \beta_1\beta_6, \beta_1^4 \rangle$	566	$\beta_{12}$
	$\bar{5}\gamma_2 = \langle \beta_1, 5, \gamma_2 \rangle$	567	$\beta_1^2\bar{5}\gamma_2$
477	$2\beta_{10/2}$ with $5(2\beta_{10/2}) = \alpha_1\beta_{10}$	570	$\beta_1^{15}$
478	$\beta_1^4\beta_7$	571	$2\beta_1\beta_{11}$
479	$3\beta_1^{12}$	572	$\beta_3\beta_{10/5}$
482	$\alpha_1\beta_1\gamma_2$	573	$\alpha_1\beta_{12}$
483	$\alpha_1\beta_1\beta_{10/5}$	574	$\beta_1^4\beta_9$
488	$\beta_1^3\beta_8$	579	$\beta_92\beta_1^5 = \alpha_1\beta_3\beta_{10/5}$

TABLE A3.5 (continued)

Stem	Element	Stem	Element
583	$\beta_1^2\beta_2\beta_9$	659	$\alpha_1\beta_1\beta_{13}$
589	$\beta_1^4\gamma_2$		with $\alpha_1x_{652} = 0$
	$\underline{2}\beta_1^4\beta_9$	660	$\beta_1^4\beta_2\beta_9$
590	$\beta_1^3\underline{5}\gamma_2$	662	$\beta_{14}$
594	$\beta_1^2\beta_{11}$	665	$\underline{3}\beta_1^2\beta_{12}$
596	$\alpha_1\beta_1^4\gamma_2$		$\beta_1^6\gamma_2$
599	$\beta_1^2\underline{2}\beta_2\beta_9$	666	$\beta_1^3\underline{5}\gamma_2$
601	$\underline{4}\beta_1^{15}$	667	$\underline{2}x_{652}$
602	$x_{602} = \langle \underline{2}\beta_1^9, \beta_1, \beta_{5/4} \rangle$	670	$\beta_1^4\beta_{11}$
604	$\beta_1\beta_{12}$	675	$\underline{2}\beta_1^4\beta_2\beta_9$
605	$\beta_1^3\underline{2}\underline{5}\gamma_2$	677	$\underline{2}\beta_{14}$
608	$\beta_1^{16}$		$\underline{4}\beta_1^{17}$
609	$\alpha_1x_{602}$ with $\underline{2}\beta_1^2\beta_{11} = ?\alpha_1x_{602}$	678	$\beta_{15/5}$
610	$\beta_1\beta_3\beta_{10/5} = \langle \alpha_1, \underline{5}, x_{602} \rangle$	680	$\beta_1^3\beta_{12}$
614	$\beta_{13}$		$\underline{2}\beta_1^6\underline{5}\gamma_2$
617	$x_{617} = \langle \alpha_1, (\alpha_1\underline{2}\beta_2\beta_6), (\beta_6^{x_{602}}) \rangle$	685	$\alpha_1\beta_{15/5}$
	with	686	$\beta_{15/4}$
	$5x_{617} = \alpha_1\beta_1\beta_3\beta_{10/5}$	689	$\underline{3}\beta_1^5\underline{5}\gamma_2$
620	$\beta_4\beta_{10/5}$	690	$\beta_1^2\beta_{13}$
621	$\alpha_1\beta_{13}$	692	$x_{692} = \langle \alpha_1, \beta_1^5, \beta_1^{13} \rangle$
622	$\beta_1^3\beta_2\beta_9$	693	$\alpha_1\beta_{15/4}$
627	$\underline{3}\beta_1\beta_{12}$		$\underline{3}\beta_1^4\beta_{11}$
	$\beta_1^5\gamma_2$	694	$\beta_{15/3}$
628	$\beta_1^4\underline{5}\gamma_2$	700	$\beta_1\beta_{14}$
632	$\beta_1^3\beta_{11}$	701	$\alpha_1\beta_{15/3}$
635	$\underline{2}\beta_4\beta_{10/5}$	702	$\beta_{15/2}$
636	$x_{636} = \langle \beta_1^3, \alpha_1\beta_1^2, \beta_{10/5} \rangle$	703	$\underline{3}\beta_1^3\beta_{12}$
	$= \langle \beta_{5/4}, \beta_9, \alpha_1 \rangle$		$\beta_1^7\gamma_2$
637	$\underline{2}\beta_1^3\beta_2\beta_9$	704	$\beta_1^6\underline{5}\gamma_2$
639	$\underline{4}\beta_1^{16}$	710	$\beta_{15}$
642	$\beta_1^2\beta_{12}$	713	$\beta_1^2\beta_{13}$
	$\underline{2}\beta_1^5\gamma_2$	714	$x_{714} = \langle \beta_1^4, \beta_1\beta_2, \gamma_2 + \underline{2}\beta_9 \rangle$
643	$\underline{2}\underline{5}\beta_1^4\gamma_2 = \beta_{5/4}\gamma_2$	715	$\underline{2}\beta_1\beta_{14}$
	$\alpha_1x_{636}$		$\underline{3}x_{692}$
644	$\beta_{5/4}\beta_{10/5}$	716	$\beta_1\beta_{15/5}$
646	$\beta_1^{17}$	717	$\underline{2}\beta_{15/2}$ with
651	$\alpha_1\beta_{5/4}\beta_{10/5}$		$5(\underline{2}\beta_{15/2}) = \alpha_1\beta_{15}$
652	$\beta_1\beta_{13}$	718	$\beta_1^4\beta_{12}$
	$\beta_{5/3}\beta_{10/5} + \beta_1\beta_{13} = x_{652}$		$\underline{2}\beta_1^7\gamma_2$
655	$\underline{3}\beta_1^3\beta_{11}$	721	$\alpha_1x_{714}$

TABLE A3.5 (continued)

Stem	Element	Stem	Element
723	$\alpha_1\beta_1\beta_{15/5}$	786	$\beta_1\beta_2\beta_{14}$
724	$x_{724} = \langle \beta_1, 5, \beta_1, \beta_1^{17} \rangle$ $x'_{724} = \langle \beta_1^2, \beta_1^2\beta_{11}, \alpha_1\alpha_1 \rangle$ with $\beta_1\beta_{15/4} = 0$	789	$\underline{3}\beta_1^4\beta_{13}$
727	$\underline{3}\beta_1^6\underline{5}\gamma_2$	794	$\underline{2}\beta_1^9\gamma_2$
728	$\beta_1^3\beta_{13}$	796	$\beta_1\beta_{16}$
730	$\beta_1x_{692}$	799	$\underline{3}\beta_1^3\beta_{14}$ $\beta_1x_{761}$ with $\underline{4}\beta_1^2x_{692} = ?$
731	$\alpha_1x'_{724}$ with $\alpha_1x_{724} = 0$	800	$\beta_1^2x_{724}$ $\beta_1^2x'_{724}$
738	$\beta_1^2\beta_{14}$	803	$\underline{3}\beta_1^8\underline{5}\gamma_2$
739	$\underline{2}x_{724}$	806	$\beta_{17}$ $\alpha_1\beta_1x_{761} = \beta_1^3x_{692}$
741	$\underline{3}\beta_1^4\beta_{12}$ $\beta_1^8\gamma_2$	807	$\alpha_1\beta_1^2x'_{724}$
742	$\beta_1^7\underline{5}\gamma_2$	809	$\beta_1x_{771}$
748	$\beta_2\beta_{14}$ with $\beta_1\beta_{15} = 0$	810	$\beta_2x'_{724}$
751	$\underline{3}\beta_1^3\beta_{13}$	811	$\underline{2}\beta_1\beta_{16}$
753	$\underline{3}\beta_1x_{692}$	812	$\beta_3\beta_{15/5}$
756	$\underline{2}\beta_1^8\gamma_2$ with $\beta_1^5\beta_{12} = 0$	813	$\alpha_1\beta_{17}$
758	$\beta_{16}$	814	$\beta_1^4\beta_{14}$
761	$x_{761} = \langle \beta_3, \gamma_1, \gamma_2 \rangle$ $\underline{3}\beta_1\beta_{14}$	815	$\underline{2}\beta_1^2x_{724}$
762	$\beta_1x_{724}$ $\beta_1x'_{724}$	816	$\alpha_1\beta_1x_{771}$
763	$\underline{2}\beta_2\beta_{14}$	817	$\beta_1^{10}\gamma_2$ $\underline{4}\beta_1\beta_2\beta_{14}$ with $\underline{2}\beta_2\beta_{15/5} = 0$
764	$\beta_2\beta_{15/5}$	818	$\beta_1^{10}\beta_{10/5}$
765	$\alpha_1\beta_{16}$ $\underline{3}\beta_1^7\underline{5}\gamma_2$	824	$\beta_1^2\beta_1\beta_{14}$
766	$\beta_1^4\beta_{13}$	825	$\underline{2}\beta_2x'_{724}$
768	$\alpha_1x_{761} = \gamma_2\underline{2}\beta_1\beta_6$ $\beta_1^2x_{692}$	826	$x_{826} = \langle \alpha_1, \beta_1^5, \alpha_1\beta_4, \beta_{10/5} \rangle$
769	$\alpha_1\beta_1x'_{724}$	827	$\underline{2}\beta_3\beta_{15/5}$
771	$x_{771} = \langle \beta_2, \beta_1^5, \beta_1^{13} \rangle$	833	$\alpha_1x_{826}$
776	$\beta_1^3\beta_{14}$	834	$\beta_1^2\beta_{16}$ $x_{834} = \langle \beta_1^4, \underline{2}\beta_1^6, \beta_{10/5} \rangle$
777	$\underline{2}\beta_1x_{724}$	837	$\underline{3}\beta_1^4\beta_{14}$ $\beta_1^2x_{761}$
778	$\alpha_1x_{771}$	838	$\beta_1^3x_{724}$ with $\beta_1^3x'_{724} = 0$
779	$\beta_1^9\gamma_2$ $\underline{2}\beta_2\beta_{15/5}$	840	$\underline{3}\beta_1^{10}\gamma_2$
780	$\beta_1^8\underline{5}\gamma_2$	841	$\alpha_1x_{834}$ $\underline{3}\beta_1^{10}\beta_{10/5}$
		842	$x_{842} = \langle \underline{2}\beta_1^9, \beta_1, \beta_{10/4} \rangle$

TABLE A3.5 (continued)

Stem	Element	Stem	Element
844	$\alpha_1\beta_1^2x_{761}$	894	$\beta_1^{12}\beta_{10/9}$
	$\beta_1\beta_{17}$	899	$\alpha_1\beta_1\beta_{18}$ with
847	$\beta_1^2x_{771}$		$\alpha_1x_{892} = 0$
849	$\alpha_1x_{842} = \underline{2}\beta_1^2\beta_{16}$	900	$\beta_1^4\beta_2\beta_{14}$
850	$\beta_1\beta_3\beta_{15/5}$	902	$\beta_{19}$
853	$\underline{2}\beta_1^3x_{724}$	903	$\underline{4}\beta_1^3\beta_{16}$
854	$\beta_{18}$	905	$\underline{3}\beta_1^2\beta_{17}$
	$\alpha_1\beta_1^2x_{771}$	906	$\beta_1x_{868}$
855	$\beta_1^{11}\gamma_2$	907	$\underline{2}x_{892}$
856	$\beta_1^{11}\beta_{10/5}$ with	910	$\beta_1^4\beta_{16}$
	$\underline{4}\underline{2}x_{810} = 0$	913	$\alpha_1\beta_1x_{868}$
	$\underline{4}\beta_1^2\beta_1\beta_{14}$		$\beta_1^4x_{761}$ with
857	$x_{857} = \langle \alpha_1(\alpha_1\underline{2}\beta_1\beta_6), (x_{842})_{\beta_{11}} \rangle$		$\underline{2}\beta_1\beta_4\beta_{15/5} = 0$
860	$\beta_4\beta_{15/5}$	914	$\beta_1^5x_{724}$ with
861	$\alpha_1\beta_{18}$		$\beta_1\beta_{10/5}^2 = 0$
862	$\beta_1^3\beta_2\beta_{14}$	916	$\beta_1^{12}\gamma_2$
865	$\underline{2}\beta_1\beta_3\beta_{15/5}$	917	$\underline{2}\beta_{19}$
867	$\underline{3}\beta_1\beta_{17}$	918	$\beta_{20/5}$
868	$x_{868}$ (see 7.6.5)	920	$\beta_1^3\beta_{17}$
872	$\beta_1^3\beta_{16}$ with $\beta_1x_{834} = 0$	923	$\beta_1^4x_{771}$
875	$\alpha_1x_{868}$	925	$\alpha_1\beta_{20/5}$
	$\underline{2}\beta_4\beta_{15/5}$		$\underline{4}\beta_1^{12}\beta_{10/5}$
	$\beta_1^3x_{761} = \beta_{10/5}\gamma_2$	926	$\beta_{20/4}$
876	$\beta_{10/5}^2$	928	$\underline{2}\beta_1^4x_{761}$
	$\beta_1^4x_{724}$	930	$\alpha_1\beta_1^4x_{771}$
878	$\underline{3}\beta_1^{11}\gamma_2$		$\beta_1^2\beta_{18}$ with
882	$\beta_1^2\beta_{17}$ with		$\beta_1x_{892} = 0$
	$\alpha_1\beta_1^3x_{761} = 0$	931	$\beta_1^{13}\gamma_2$
883	$\alpha_1\beta_{10/5}^2$		$\underline{4}\beta_1^4\beta_2\beta_{14}$
884	$\beta_{5/4}\beta_{15/5}$	932	$\beta_1^{13}\beta_{10/5}?$
885	$\beta_1^3x_{771}$	933	$\gamma_4?$
887	$\underline{4}\beta_1^{11}\beta_{10/5}$		$\alpha_1\beta_{20/4}$
890	$\underline{2}\beta_1^3x_{761}$	934	$\beta_{20/3}$
891	$\underline{2}\beta_1^4x_{724}$	937	$\underline{3}\beta_1^5x_{724}$ with
	$\alpha_1\beta_{5/4}\beta_{15/3}$		$\alpha_1\beta_1\beta_{10/4}^2 = 0$
892	$\beta_1\beta_{18}$	940	$\alpha_1\gamma_4$
	$\alpha_1\beta_1^3x_{771}$		$\beta_1\beta_{19}$
	$x_{892} = \beta_{10/4}^2 + \beta_1\beta_{18}$	941	$\alpha_1\beta_{20/3}$
893	$\beta_1^{12}\gamma_2$		$\underline{4}\beta_1^4\beta_{16}$
	$\underline{4}\beta_1^3\beta_2\beta_{14}$	942	$\beta_{20/2}$

TABLE A3.5 (continued)

Stem	Element	Stem	Element
950	$\beta_{20}$	969	$\beta_1^{14}\gamma_2$
951	$\beta_1^5 x_{761}$ $\underline{4}\beta_1^3\beta_{17}$ with $\alpha_1\beta_1^2 x_{868} = 0$		$\underline{2}x_{954}$
952	$\beta_1^6 x_{724}$ $x_{952} = \langle \beta_1, \beta_1\beta_{10/5} + \underline{5}\gamma_2, \gamma_2 \rangle$	970	$\beta_1^{14}\beta_{10/5}?$
953	$\underline{3}\beta_1^2\beta_{18}$	971	$\beta_1\gamma_4?$ with $\alpha_1\beta_1\beta_{20/4} = 0$
954	$\underline{3}\beta_1^{13}\gamma_2$ $x_{954} = \langle \alpha_1, \alpha_1, \beta_1\beta_2\beta_{14}, \beta_1^4 \rangle$	972	$\underline{5}\gamma_4$ with $\beta_1\beta_{20/3} = 0$
955	$\underline{2}\beta_1\beta_{19}$	975	$\underline{3}\beta_1^6 x_{724}$
956	$\beta_1\beta_{20/5}$	978	$\alpha_1\beta_1\gamma_4$ $\beta_1^2\beta_{19}$
957	$\underline{2}\beta_{20/2}$ with $5(\underline{2}\beta_{20/2}) = \alpha_1\beta_{20}$	979	$\underline{2}x_{964}$ with $\alpha_1\underline{5}\gamma_4 = 0$ and $\alpha_1/\beta_1\beta_{20/3} = 0$
958	$\beta_1^4\beta_{17}$	987	$\underline{2}\underline{5}\gamma_4$
959	$\alpha_1 x_{952}$	988	$\beta_2\beta_{19}$ with $\beta_1\beta_{20} = 0$
963	$\alpha_1\beta_1\beta_{20/5}$ $\underline{4}\beta_1^{13}\beta_{10/5}$	989	$\beta_1^6 x_{761}$
964	$x_{964} = \underline{3}\underline{4}\beta_1^4\beta_{16}$ with $\beta_1\beta_{20/4} = 0$	990	$\beta_1^7 x_{724}$ $\beta_1 x_{952}$
966	$\underline{2}\beta_1^5 x_{761}$	992	$\underline{3}\beta_1^{14}\gamma_2$ with $\beta_1 x_{954} = 0$
968	$\beta_1^3\beta_{18}$ with $\alpha_1\beta_1^5 x_{771} = 0$	998	$\beta_{21}$
		999	$x_{999} = \langle \beta_1\beta_2, \gamma_2, \gamma_2 \rangle$ with $\underline{4}\beta_1^3\beta_{18} = 0$

$k$	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19
1	$\infty$	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
2	$\infty$	2	2	12	2	2	3	15	2	2 <sup>2</sup>	2 <sup>2</sup>	12.2	84.2 <sup>2</sup>	2 <sup>2</sup>	6	30	30	6.2	12.2 <sup>2</sup>	6.2
3	2	2	12	2	2	3	15	2	2 <sup>2</sup>	2 <sup>2</sup>	12.2	84.2 <sup>2</sup>	2 <sup>2</sup>	6	30	30	6.2	12.2 <sup>2</sup>	12.2 <sup>2</sup>	132.2
4	2	2	$\infty$ .12	2 <sup>2</sup>	2 <sup>2</sup>	2 <sup>2</sup>	24.3	15	2	2 <sup>3</sup>	120.12.2	84.2 <sup>5</sup>	2 <sup>6</sup>	24.6.2	2520.6.2	30	6 <sup>2</sup> .2	24.12.4.2 <sup>2</sup>	120.12.2 <sup>5</sup>	132.2 <sup>5</sup>
5			24	2	2	2	30	2	2	2 <sup>3</sup>	72.2	504.2 <sup>2</sup>	2 <sup>3</sup>	6.2	6.2	30.2	2 <sup>2</sup>	4.2 <sup>2</sup>	24.2 <sup>2</sup>	264.2
6			0	$\infty$	2	2	60	24.2	2 <sup>3</sup>	2 <sup>3</sup>	72.2	504.4	240	6	12.2	60.6	504.2 <sup>2</sup>	2 <sup>4</sup>	24.6.2	1056.8
7			0	0	2	2	120	2 <sup>3</sup>	2 <sup>4</sup>	2 <sup>4</sup>	24.2	504.2	0	6	24.4	120.2 <sup>3</sup>	2 <sup>4</sup>	2 <sup>4</sup>	24.2	264.2
8			2	2	2	2	$\infty$ .120	2 <sup>4</sup>	2 <sup>5</sup>	24 <sup>2</sup> .2	504.2	504.2	0	6.2	240.24.4	120.2 <sup>5</sup>	2 <sup>7</sup>	6.2 <sup>4</sup>	540.24.2	264.2
9							240	2 <sup>3</sup>	2 <sup>4</sup>	24.2	504.2	504.2	0	6	16.4	240.2 <sup>3</sup>	2 <sup>4</sup>	2 <sup>4</sup>	24.2	264.2
10								2 <sup>2</sup>	$\infty$ .2 <sup>3</sup>	12.2	504	504	12	6	16.2	240.2 <sup>2</sup>	240.2	2 <sup>3</sup>	24.2 <sup>2</sup>	264.6
11									2 <sup>3</sup>	6.2	504	504	2	6.2	16.2	240.2	2	2 <sup>3</sup>	8.4.2	264.2 <sup>3</sup>
12										6	$\infty$ .504	504	2 <sup>2</sup>	6.2	48.4.2	240.2	2	2 <sup>4</sup>	480.4 <sup>2</sup> .2	264.2 <sup>5</sup>
13											504	504	2	6	16.2	480.2	2	2 <sup>4</sup>	8 <sup>2</sup> .2	264.2 <sup>3</sup>
14												0	0	$\infty$ .3	8.2	480.2	24.2	2 <sup>4</sup>	8 <sup>2</sup> .2	264.4.2
15														3	4.2	480.2	2 <sup>3</sup>	2 <sup>5</sup>	8 <sup>2</sup> .2	264.2 <sup>2</sup>
16															2 <sup>2</sup>	$\infty$ .480.2	2 <sup>4</sup>	2 <sup>6</sup>	24.8 <sup>2</sup> .2	264.2 <sup>2</sup>
17																480.2	2 <sup>3</sup>	2 <sup>5</sup>	8 <sup>2</sup> .2	264.2 <sup>2</sup>
18																	2 <sup>2</sup>	$\infty$ .2 <sup>4</sup>	8.4.2	264.2
19																		2 <sup>4</sup>	8.2 <sup>2</sup>	264.2
20																			8.2	$\infty$ .264.2
21																				264.2

TABLE A3.6. Toda's calculation of unstable homotopy groups  $\pi_{n+k}(S^n)$  for  $n \leq k+2$  and  $k \leq 19$ .

For  $n > k+1$  the group is isomorphic to the one for  $n = k+1$ . The notation  $a.b.c\dots$  denotes the direct sum of cyclic groups of order  $a, b, c$ , etc. The notation  $a^j$  denotes the direct sum of  $j$  cyclic groups, each having order  $a$ . (After Toda [?].)

$$\begin{aligned}
 d_4(e_0d_0 + h_0^7h_5) = P^2d_0 \quad h_4g = h_2d_1 \quad x = \sigma\theta_4 \quad h_1x = h_3u = c_1^2 \quad h_3x = h_0^2g_2 \\
 \rho\theta_4 = h_0^2h_5d_0 \\
 \pi_{45}^S = \mathbf{Z}/(16) \otimes (\mathbf{Z}/(2))^3
 \end{aligned}$$

FIGURE A3.1 b. The Adams spectral sequence for  $p = 2$ ,  $28 \leq t - s \leq 45$

FIGURE A3.1c. The Adams spectral sequence for  $p = 2$ ,  $44 \leq t - s \leq 61$ . (Differentials tentative)

FIGURE A3.2. The Adams-Novikov spectral sequence for  $p = 2$ ,  $t - s \leq 39$ . ( $v_1$ -periodic elements omitted. Computations for  $t - s \leq 30$  are tentative.)